

MAP® JIS C 3501 COAXIAL CABLE

產品說明 PRODUCT DESCRIPTION

*導體為裸銅線或銅包鋼 Copper or Copper coated steel conductor

*透明聚乙烯絕緣 Transparent PE insulation

*裸銅編織網隔離 Bare copper braid shield

*低損耗,傳輸效率高 Low loss and high transmission efficiency.

* 符合 JIS 3501 Available JIS-3501.





Coaxial cable JIS C 3501

高解析/高清 同軸電纜專用,廣泛使用於通訊設備/監視器/移動式攝影機等產品。公共建設、大眾運輸系統、智能家庭、保全系統指定用線。

High resolution / HD coaxial cable, used in communications equipment / monitors / portable cameras and so on. Public construction, mass transit system, intelligent home, preservation system for application.

Coaxial cable 3CV/5C2V/5CFB/7C2V

MODEL	Braid No.	Cond. Material	NO. OF COND.	INS Material	Braid Material	JACKET Material	COVERAGE	Impedance/ Ω
3C-2V	64 編	Copper Coated Steel	1/0.643	PE	Aluminum	PVC	60%	72 $\pm$ 2
3C-2V	64 編	Copper Coated Steel	1/0.643	PE	Bare Copper	PVC	60%	72 $\pm$ 2
3C-2V	96 編	Copper Coated Steel	1/0.80	Foamed PE	Aluminum	PVC	76%	75 $\pm$ 3
3C-2V	96 編	Copper Coated Steel	1/0.80	Foamed PE	Bare Copper	PVC	76%	75 $\pm$ 3
3C-2V	112 編	Copper Coated Steel	1/0.80	Foamed PE	Aluminum	PVC	84%	75 $\pm$ 3
3C-2V	96 編	Tinned Copper	1/0.80	Foamed PE	Aluminum	PVC	76%	75 $\pm$ 3
3C-2V	112 編	Tinned Copper	1/0.80	Foamed PE	Aluminum	PVC	84%	75 $\pm$ 3
3C-2V	96 編	Bare Copper	1/0.80	PE	Bare Copper	PVC	76%	72 $\pm$ 2

MODEL	Braid No.	Cond. Material	NO. OF COND.	INS Material	Braid Material	JACKET Material	COVERAGE	Impedance/ Ω
3C-2V	112 編	Bare Copper	1/0.80	PE	Bare Copper	PVC	84%	72±2
5C-2V	64 編	Copper Coated Steel	1/0.80	Foamed PE	Aluminum	PVC	50%	75±3
5C-2V	64 編	Copper Coated Steel	1/0.80	Foamed PE	Bare Copper	PVC	50%	75±3
5C-FB	128 編	Copper Coated Steel	1/1.00	Foamed PE	Aluminum	PVC	75%	75±3
5C-FB	128 編	Copper Coated Steel	1/1.00	Foamed PE	Bare Copper	PVC	75%	75±3
5C-FB	168 編	Copper Coated Steel	1/1.00	Foamed PE	Aluminum	PVC	88%	75±3
5C-FB	128 編	Copper Coated Steel	1/1.00	Foamed PE	Aluminum	PVC	75%	75±3
5C-FB	168 編	Copper Coated Steel	1/1.00	Foamed PE	Aluminum	PVC	88%	75±3
5C-2V	160 編	Bare Copper	1/0.80	PE	Bare Copper	PVC	85%	72±2
5C-FB	160 編	Tinned Copper	1/1.00	Foamed PE	Tinned Copper	PVC	85%	75±3
7C-2V	192 編	Copper Coated Steel	1/1.50	Foamed PE	Aluminum	PVC	81%	75±3
7C-2V	192 編	Tinned Copper	1/1.50	Foamed PE	Aluminum	PVC	81%	75±3
7C-2V	192 編	Tinned Copper	1/1.50	Foamed PE	Tinned Copper	PVC	81%	75±3

大域科技股份有限公司

TA YU SCIENCE Co., Ltd



+886-3-329-8989



+886-3-329-7811



tayui@ms24.hinet.net



benson@tayui.com.tw



www.tayui.com.tw

MAP[®] PREMIUM CABLE MAKER