

27.5"
9-SPEED



EBK-2701 27.5" 9-SPEED E-BIKE



MAXI.SPEED ≤25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥80km



2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/h
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 350W BAFANG CENTER MOTOR
BATTERY	36V 11.6AH PANASONIC 2900 ELECTRIC CORE
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY

ECONOMY OPTION: EBK-2701S 27.5 7-SPEED W/ 36V, 250W BAFANG REAR MOTOR AS EBK-2701 BUT WITH ALLOY/ALLOY CROWN SUSPENSION F.FORK, ALLOY SEAT POST W/O ADJUSTABLE, F/R MECHANICAL DISC BRAKE, 27.5" X 2.10" TIRES, SHIMANO 7-SPEED RD-TY300, SL-TX30, FREEWHEEL TZ21, PP. PEDAL.

FRAME	27.5" x 16" 6061 ALLOY E-BIKE MTB
FROK	ALLOY SUSPENSION W/ LOCK SR SUNTOUR XCT-HLO DS-27.5
HANDLEBAR	ALLOY 620mm
STEM	ALLOY A-HEAD 31.8mm
SEAT POST	ALLOY W/ ADJUSTBLE 27.2mm
BRAKE	SHIMANO AM315 F / R HYDRAULIC DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 32H 6-BOLT DISC-BRAKE W/ Q.R.
R. HUB	ALLOY 32H 6-BOLT DISC-BRAKE W/ Q.R.
RIM	27.5" 32H ALLOY DOUBLE LAYER
TIRE	KENDA 27.5" x 2.10
R. DER.	SHIMANO ACERA RD-M3000 9-SPEED
SHIFTER LEVERS	SHIMANO SL-M3000
FREEWHEEL	SHIMANO CS-HG200-9 9-SPEED 11-32T CASSETTE
CHAINWHEEL	BAFANG CENTER MOTOR 38Tx175mm ALLOY CRANKS
CHAIN	KMC
PEDALS	ALLOY

26"
24-SPEED



EBK-2601 26" 24-SPEED E-BIKE



MAXI. SPEED ≤25km/h



CHARGING TIME 5-6 HOURS



MAXI RIDING DISTANCE PAS ≥80km



2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/h
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 11.6AH PANASONIC 2900 ELECTRIC CORE
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY


ECONOMY OPTION: EBK-2601S 26" 21-SPEED

AS EBK-2601 BUT WITH STEEL/ALLOY CROWN SUSPENSION F.FORK.

ALLOY SEAT POST W/O ADJUSTABLE.

SHIMANO 21-SPEED RD-TY300, SL-TX30. FREEWHEEL TZ21, PP. PEDAL.

FRAME	26" x 17" 6061 ALLOY E-BIKE MTB
FORK	ALLOY SUSPENSION W/ LOCK SR SUNTOUR XCT-HLO DS-26
HANDLEBAR	ALLOY 600mm
STEM	ALLOY A-HEAD 31.8mm
SEAT POST	ALLOY W/ ADJUSTBLE 27.2mm
BRAKE	F/R MECHANICAL DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H 6-BOLT DISC-BRAKE W/ Q.R.
R. HUB	MOTOR 36H 6-BOLT DISC-BRAKE W/ CASSETTE
RIM	26" ALLOY DOUBLE LAYER
TIRE	KENDA 26" x 2.10
F. DER.	SHIMANO FD-TX50
R. DER.	SHIMANO ALTUS RD-M310 8-SPEED
SHIFTER LEVERS	SHIMANO SL-M310
FREEWHEEL	SHIMANO 8-SPEED CASSETTE
CHAINWHEEL	PROWHEEL 22/34/42T x 170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	ALLOY



EBK-2401 24" 7-SPEED E-BIKE



MAXI. SPEED ≤25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥80km



2 YEARS GUARANTEED

FRAME	24" x 15" 6061 ALLOY E-BIKE MTB
FROK	STEEL SUSPENSION FORK, ALLOY CROWN
HANDLEBAR	ALLOY 600mm
STEM	ALLOY A-HEAD 31.8mm
SEAT POST	ALLOY W/ ADJUSTBLE 27.2mm
BRAKE	F / R MECHANICAL DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H 6-BOLT DISC-BRAKE W/ Q.R.
R. HUB	MOTOR 36H 6-BOLT DISC-BRAKE
RIM	24" ALLOY DOUBLE LAYER
TIRE	WANDA 24" x 3.0
R. DER.	SHIMANO TOURNEY RD-TY300 7-SPEED
SHIFTER LEVERS	SHIMANO SL-TX30
FREEWHEEL	SHIMANO MF-TZ21 7-SPEED 14-28T
CHAINWHEEL	40Tx170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	ALLOY

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 11.6AH PANASONIC 2900 ELECTRIC CORE
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY

ECONOMY OPTION:EBK-2401S 24" 7-SPEED

AS EBK-2401, 24" WITH 24" X 1.95" TIRE & TUBES,ALLOY SEAT POST W/O AJUSTABLE.

ECONOMY OPTION:EBK-2401K 26"7-SPEED

AS EBK-2401, BUT 26" X 16" FRAME & FORK, 26" X 1.95" F/R TIRE & TUBES
ALLOY SEAT POST W/O AJUSTABLE.

27.5"
7-SPEED



EBK-2702 27.5" 7-SPEED E-BIKE



MAXI. SPEED ≤25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥80km




2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/h
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 9.3AH INNER BATTERY SAMSUNG SDI LI-ION
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY



FRAME	27.5" x 16" 6061 ALLOY E-BIKE MTB INNER BATTERY
FROK	SUSPENSION FORK, ALLOY CROWN & LEG
HANDLEBAR	ALLOY 620mm
STEM	ALLOY A-HEAD 31.8mm
SEAT POST	ALLOY
BRAKE	F/R MECHANICAL DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H 6-BOLT DISC-BRAKE W/ Q.R.
R. HUB	MOTOR 36H 6-BOLT DISC-BRAKE
RIM	27.5" ALLOY DOUBLE LAYER
TIRE	KENDA 27.5" x 1.95
R. DER.	SHIMANO TOURNEY RD-TY300 7-SPEED
SHIFTER LEVERS	SHIMANO SL-M310
FREEWHEEL	SHIMANO MF-TZ21 7-SPEED 14-28T
CHAINWHEEL	38Tx175mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P.BODY

26"
7-SPEED



EBK-2602

MAXIMUM SPEED
CHARGING TIME
MAXIMUM DISTANCE
MOTOR
BATTERY
METER DISPLAY

FRAME
FROK
HANDLEBAR
STEM
SEAT POST
BRAKE
BRAKE LEVERS
F. HUB
R. HUB
RIM
TIRE
R. DER.
SHIFTER LEVERS
FREEWHEEL
CHAINWHEEL
CHAIN
PEDALS



26" 7-SPEED E-BIKE

≤25km/H
5-6 HOURS
PAS ≥80km
36V 250W BAFANG REAR MOTOR
36V 9.3AH INNER BATTERY SAMSUNG SDI LI-ION
LCD MULTI-FUNCTION DISPLAY
26" x 16" 6061 ALLOY E-BIKE MTB INNER BATTERY
STEEL SUSPENSION FORK, ALLOY CROWN
ALLOY 600mm
ALLOY A-HEAD 31.8mm
ALLOY
F/R ALLOY V-BRAKE
ALLOY LEVERS
ALLOY 36H W/ Q.R.
MOTOR 36H 7-SPEED
26" ALLOY DOUBLE LAYER
KENDA 26" x 1.95
SHIMANO TOURNEY RD-TY300 7-SPEED
SHIMANO SL-TX50
SHIMANO MF-TZ21 7-SPEED 14-28T
46Tx170mm ALLOY CRANKS
KMC
P.P. BODY






EBK-2603 26" 1-SPEED E-BIKE



MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 9.3AH INNER BATTERY SAMSUNG SDI LI-ION
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY
FRAME	26" x 16" 6061 ALLOY E-BIKE CTB INNER BATTERY
FROK	STEEL UNICROWN FORK
HANDLEBAR	ALLOY CITY 580mm
STEM	ALLOY CLAMPE:80mm
SEAT POST	ALLOY 27.2mm
BRAKE	F/R ALLOY V-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H W/ Q.R.
R. HUB	MOTOR 36H 1-SPEED
RIM	26" ALLOY DOUBLE LAYER
TIRE	KENDA 26" x 1.75 BROWN
FREEWHEEL	SINGLE 18T
CHAINWHEEL	38Tx170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY

26"
7-SPEED



EBK-2604 "26" 7-SPEED E-BIKE



MAXI. SPEED <25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥ 80km



2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 13AH LG 3200 ELECTRIC CORE
METER DISPLAY	LED 3-S

FRAME	26" x 16"/17" 6061 ALLOY CTB E-BIKE
FORK	STEEL SUSPENSION FORK
HANDLEBAR	ALLOY 620mm
STEM	ALLOY E:90mm
SEAT POST	ALLOY 27.2mm
BRAKE	F / R ALLOY V-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H
R. HUB	MOTOR 36H 7-SPEED
RIM	26" ALLOY DOUBLE LAYER
TIRE	KENDA 26" x 1.75
R. DER.	SHIMANO TOURNEY RD-TX35 7-SPEED
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-RS35-7
FREEWHEEL	7-SPEED INDEX
CHAINWHEEL	38Tx170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY

26"
7-SPEED



MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 13AH LG 3200 ELECTRIC CORE
METER DISPLAY	LED 3-S
FRAME	24" x 16" 6061 ALLOY E-BIKE CTB
FROK	STEEL UNICROWN FORK
HANDLEBAR	ALLOY CITY 580mm
STEM	ALLOY E:90mm
SEAT POST	ALLOY 27.2mm
BRAKE	F / R ALLOY V-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H
R. HUB	MOTOR 36H 7-SPEED
RIM	24" ALLOY DOUBLE LAYER
TIRE	KENDA 24" x 1.75
R. DER.	SHIMANO TOURNEY RD-TX35 7-SPEED
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-RS35-7
FREEWHEEL	7-SPEED INDEX
CHAINWHEEL	38Tx170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY

EBK-2402 24" 7-SPEED E-BIKE LADY

EBK-2605 26" 7-SPEED E-BIKE LADY

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG REAR MOTOR
BATTERY	36V 13AH LG 3200 ELECTRIC CORE
METER DISPLAY	LED 3-S
FRAME	26" x 16"/17" 6061 ALLOY CTB E-BIKE
FROK	STEEL SUSPENSION FORK
HANDLEBAR	ALLOY 620mm
STEM	ALLOY E:90mm
SEAT POST	ALLOY 27.2mm
BRAKE	F / R ALLOY V-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H
R. HUB	MOTOR 36H 7-SPEED
RIM	26" ALLOY DOUBLE LAYER
TIRE	KENDA 26" x 1.75
F. DER.	NIL
R. DER.	SHIMANO TOURNEY RD-TX35 7-SPEED
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-RS35-7
FREEWHEEL	7-SPEED INDEX
CHAINWHEEL	38Tx170mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY



24"
7-SPEED

20"
7-SPEED



20"
SHIMANO NEXUS
3-SPEED



EBK-2002

EBK-2001 20" 7-SPEED FOLDING E-BIKE



MAXI. SPEED <25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥ 80km




2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥60km
MOTOR	24V 250W BAFANG REAR MOTOR
BATTERY	24V 9.6AH INNER BATTERY LG SDI LI-ION
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY

FRAME	20" 6061 ALLOY FOLDING E-BIKE INNER BATTERY
FROK	STEEL UNICROWN FORK
HANDLEBAR	ALLOY 560mm
STEM	ALLOY FOLDING STEM
SEAT POST	ALLOY 27.2mm
BRAKE	F / R MECHANICAL DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H 6-BOLT DISC-BRAKE W/ Q.R.
R. HUB	MOTOR 36H 6-BOLT DISC-BRAKE W/ 7-SPEED
RIM	20" ALLOY DOUBLE LAYER
TIRE	KENDA 20" x 1.75
R. DER.	SHIMANO TOURNEY RD-TZ50 7-SPEED
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-RS35-7
FREEWHEEL	7-SPEED INDEX
CHAINWHEEL	52T x 152mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY FOLDING





MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG FRONT MOTOR
BATTERY	36V 8.8AH SANYO 2200 ELECTRIC CORE
METER DISPLAY	LED 3-S

FRAME	20" 6061 ALLOY FOLDING E-BIKE
FROK	STEEL UNICROWN FORK
HANDLEBAR	ALLOY 560mm
STEM	ALLOY FOLDING STEM
SEAT POST	ALLOY 27.2mm
BRAKE	F / R ALLOY V-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	MOTOR 36H
R. HUB	SHIMANO NEXUS HUBS 36H
RIM	20" ALLOY DOUBLE LAYER
TIRE	KENDA 20" x 1.75
R. DER.	SHIMANO NEXUS 3-SPEED
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-3S35E
FREEWHEEL	18T
CHAINWHEEL	42Tx152mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY FOLDING

ECONOMY OPTION:EBK-2003S 20" 7-SPEED
 AS EBK-2003 BUT BAFANG REAR MOTOR
 SHIMANO 7-SPEED RD-TZ50, SL-RS35-7, 7-PCS FREEWHEEL

20" NEXUS 3-SPEED FOLDING E-BIKE

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	36V 250W BAFANG FRONT MOTOR
BATTERY	36V 7.8AH INNER BATTERY LG SDI LI-ION
METER DISPLAY	LCD MULTI-FUNCTION DISPLAY
FRAME	20" 6061 ALLOY FOLDING E-BIKE INNER BATTERY
FROK	STEEL UNICROWN FORK
HANDLEBAR	ALLOY 560mm
STEM	ALLOY FOLDING STEM
SEAT POST	ALLOY 27.2mm
BRAKE	FRONT DISC-BRAKE / REAR ROLLER BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	MOTOR 36H
R. HUB	SHIMANO NEXUS HUBS 36H ROLLER BRAKE
RIM	20" ALLOY DOUBLE LAYER
TIRE	KENDA 20" x 1.75
R. DER.	SHIMANO NEXUS 3-SPEED ROLLER BRAKE
SHIFTER LEVERS	SHIMANO GRIP LEVERS SL-3S35E
FREWHEEL	18T
CHAINWHEEL	52Tx152mm ALLOY CRANKS
CHAIN	KMC
PEDALS	P.P. BODY FOLDING

ECONOMY OPTION:EBK-2002S 20" 7-SPEED
 AS EBK-2002 BUT BAFANG REAR MOTOR, F/R MECHANICAL DISC BRAKE
 SHIMANO 7-SPEED RD-TZ50, SL-RS35-7, 7-PCS FREEWHEEL

20"
 SHIMANO NEXUS
 3-SPEED





EBK-2003 20" NEXUS 3-SPEED FOLDING E-BIKE

26"X4.0
8-SPEED



EBK-2640 26"X4.0 8-SPEED FAT/SAND E-BIKE



MAXI SPEED: ≤25km/h



CHARGING TIME: 5-6 HOURS



MAXI RIDING DISTANCE: PAS ≥80km



2 YEARS GUARANTEED

MAXIMUM SPEED	≤25km/H
CHARGING TIME	5-6 HOURS
MAXIMUM DISTANCE	PAS ≥80km
MOTOR	48V 500W BAFANG REAR MOTOR
BATTERY	48V 11.6AH PANASONIC 2900 ELECTRIC CORE
METER DISPLAY	LED 3-S
FRAME	26" x 17" 6061 ALLOY 4.0 FAT E-BIKE
FORK	STEEL 26" x 4.0 UNICROWN
HANDLEBAR	ALLOY 680mm
STEM	ALLOY A-HEAD 31.8mm
SEAT POST	ALLOY W/ ADJUSTBLE 27.2mm
BRAKE	F / R HYDRAULIC DISC-BRAKE
BRAKE LEVERS	ALLOY LEVERS
F. HUB	ALLOY 36H 6-BOLT DISC-BRAKE
R. HUB	MOTOR 36H 6-BOLT DISC-BRAKE W/ CASSETTE
RIM	26" x 4.0 ALLOY DOUBLE LAYER HOLLOW HOLE
TIRE	CST 26" x 4.0 FAT TIRE
R. DER.	SHIMANO ALTUS RD-M310 8-SPEED
SHIFTER LEVERS	SHIMANO SL-M310
FREEWHEEL	SHIMANO 8-SPEED CASSETTE
CHAINWHEEL	PROWHEEL 40Tx175mm ALLOY CRANKS
CHAIN	KMC
PEDALS	ALLOY CAGE

ECONOMY OPTION:EBK-2640S 26" 7-SPEED TIRE 26" X 3.0

AS EBK-2640 BUT WITH MECHANICAL DISC BRAKE
ALLOY SEAT POST W/O ADJUSTABLE, SHIMANO 7-SPEED RD-TX35,
SL-RS35-7, TZ-21 FREEWHEEL, TIRE 26" X 3.0

MODEL / SIZE	N.W. / SET	85% SKD CU'FT / SET	40' HQ CONTAINER	CKD WHEEL ASSEMBLED CU'FT / SET	40' HQCONTAINER
27.5" EBK-2701 / 2702	21~21.5KGS	8.9/SET	264SETS	5.2/SET	450SETS
26" X 1.75"/1.95"/2.1" EBK-2601/2602/2603 /2604/2605	21~22KGS	8.2~8.9/SET	264~290SETS	4.3~4.7/SET	500~550SETS
26" X 4.0 EBK-2640	25KGS	13.8/SET	170SETS	7.8/SET	300SETS
24" X 1.75" EBK-2402	20KGS	8.1/SET	280SETS	4.3/SET	550SETS
24" X 3.0" EBK-2401	23KGS	9.4/SET	250SETS	5.6/SET	420SETS
20"X 1.75" EBK-2001/2002/2003	19.5~20KGS	6.1~6.2/SET	380SETS	3.9/SET	600SETS



CHINA PANDA PRODUCTS CO.,LTD.
SPALDING BICYCLE CO.,LTD.

Add:FL12-I.No.104.Sec.2.TunHua S.Rd.,Taipei.Taiwan.
Factory:No.16 fuyuan road, qingguang town industrial park,
beichen district, Tianjin
Tel:886-2-27015048 Fax:886-2-27059241
E-mail:china.panda@msa.hinet.net
E-mail:chipanda@ms23.hinet.net

明彦企業股份有限公司
臺北市敦化南路二段104號12F-1
創立於1981