



Product Name: Electric Bolt

Product Type: JEB-220K

Features:

About Electric Bolt


- Applicable to wooden door, iron door, steel door, aluminum door and glass door
- Fail safe. Applicable to fire door
- Certified holding force 894 kgf
- Power saving in static status to prevent overheating coils
- Door bolt position sensor
- Auto lock
- Stainless steel bolt
- Flush mortise mounting
- Reverse polarity protection
- Additional reed dry contact
- DIP switch to set delay time
- Able to trigger bolt via push button, instead of access control reader
- Able to install European cylinder lock (optional)
- Fail secure (optional)
- Mechanical life over 2,000,000 times

Specifications:


Power	DC 12V 1A
Initial firing current	0.7A
Holding current	200mA
Dimension of faceplate	216(L)×42(W)×22(H)mm

Dimension of mortise	80(L)×25(W)×10(H)mm
Dimension of bolt	12mm(diameter), 13mm(Throw)

JEB-220KH



JEB-220K



Ordering Information:

- JEB-220K standard
- JEB-220KH heightened key cylinder

Reference models:

Taiwan Jantek Electronics., Ltd.

www.jantek.com.tw

Add:6F-1, No. 1, Wuquan 1St.Rd.,Xinzhuang District, TEL : 886-2-22991255

New Taipei City 24892, Taiwan, R.O.C.

FAX : 02-2299-1257 / 02-2299-7412

Email : service@jantek.com.tw