




Product Name: Proximity Card reader

Product Type: PR-100C


Features:

- Frequency is 125KHz (13.56 MHz is an option device)
- Reading range: EM:10 - 16 CM / Mifare:3 - 5 CM
- Built-in RS232/ RS485/ RS422 interface
- Built-in tamper switch detects when case is forced open or destroyed, the alarm signal will output (A. B. point)
- Support 20,000 history record
- Support 20,000 cards
- With 60 holiday setting function
- There are eight programmable time zone, three schedule for user to set different entry time
- Intranet network with two option devices:
 1. Built-in TCP/IP module
 2. External TCP/IP converter
- IP65 Water Proof

Configuration :



Configuration (RS-232 / RS-485.422) :



Specifications:

Display	128 x 64Dot (Blue Backlight LCD)
Keypad	4 x 4 16 Keys Touch Keypad (Blue Backlight LED)
Operating Environment	-20°C ~ 50°C
Temperat	
Humidity	20%~90% RH
Dimensions	160(L) x120(W) x40(H) mm
Power	DC 12V 1A
Relay	4 relays contact (Max. DC 12V 1Amp)

Ordering Information:

Reference models:

Taiwan Jantek Electronics., Ltd.

www.jantek.com.tw

Add:6F-1, No. 1, Wuquan 1St.Rd.,Xinzhuang District, TEL : 886-2-22991255

New Taipei City 24892,Taiwan, R.O.C.

FAX : 02-2299-1257 / 02-2299-7412

Email : service@jantek.com.tw