



TA YU

UL Verify Ethernet Cable

Customized Any Color Sheath

MAP® *UL認證 乙太網路電纜* イーサネットルート

TA YU

MAP[®]



UL Verify Ethernet Cable

UL認證 乙太網路電纜 イーサネットルート

MADE IN TAIWAN

TA YU

MAP®



MAP Cat5E 24AWG UTP

An orange Cat5E UTP cable with its outer jacket stripped back, revealing four twisted pairs of colored wires (orange/white, blue/white, green/white, brown/white) fanned out.



MAP Cat5E 24AWG STP Aluminum-mylar tape

A blue Cat5E STP cable with its outer jacket stripped back, revealing a silver aluminum-mylar tape shield. The four twisted pairs of wires are visible through a central opening in the shield.



MAP Cat5E 24AWG SFTP Aluminum-mylar tape · Braid 60%

A grey Cat5E SFTP cable with its outer jacket stripped back, revealing a silver aluminum-mylar tape shield and a braided shield. The four twisted pairs of wires are visible through a central opening in the shield.

TA YU

MAP ®



MAP Cat6 UTP Aluminum-mylar tape

A blue Ethernet cable with a white plastic boot at the end. The outer jacket is blue, and the inner insulation is white. The cable is shown with the outer jacket stripped back, revealing the internal twisted pairs and the aluminum-mylar tape.



MAP Cat6 FTP Aluminum-mylar tape

A white Ethernet cable with a white plastic boot at the end. The outer jacket is white, and the inner insulation is white. The cable is shown with the outer jacket stripped back, revealing the internal twisted pairs and the aluminum-mylar tape.



MAP Cat6 SFTP Aluminum-mylar tape 、 Braidcoverage 60%

A white Ethernet cable with a white plastic boot at the end. The outer jacket is white, and the inner insulation is white. The cable is shown with the outer jacket stripped back, revealing the internal twisted pairs and the aluminum-mylar tape. The text "75°C (CUL) 30.52" is visible on the white jacket.

LZSH Series

TA YU

Cat6 FTP LZSH EuroClass-Drain wire & Aluminum-mylar tape

Cat6 UTP LZSH EuroClass

Cat5 UTP LZSH EuroClass

MAP ®

TA YU

MAP ®

Transmission frequency : 600M Hz
Transmission speed : 10G bit

ISO/IEC 11801 Cat.7 S/FTP 10G

MAP Cat7. 23AWG SFTP

Aluminum-mylar tape each pair and Drain wire and Braid coverage 70 %

Special Type: Europe Class

TA YU



MAP Cat6 UTP 28AWG x 4Pair (Multi Core)
Transmission frequency: 250M Hz

MAP ®