



普通金屬軟管

型 號 Item NO.	軟管規格	最小內徑	最大外徑	軟管長度
		A	B	
TPN-03	3/8"	12.3mm	16.2mm	50M
TPN-04	1/2"	15.8mm	19.7mm	
TPN-06	3/4"	20.7mm	25.1mm	
TPN-10	1"	26.0mm	31.0mm	
TPN-12	1-1/4"	34.7mm	40.3mm	30M
TPN-15	1-1/2"	40.0mm	45.8mm	25M
TPN-20	2"	51.3mm	57.1mm	20M
TPN-25	2-1/2"	63.0mm	70.8mm	10M
TPN-30	3"	78.0mm	85.9mm	
TPN-40	4"	101.6mm	109.5mm	

材質:鍍鋅鐵皮。

用途:電線之包覆,防火,防塵的效果。



防水金屬軟管

型 號 Item NO.	軟管規格	最小內徑	最大內徑	軟管長度
		A	B	
TPV-02	1/4"	7mm	11.5mm	50M
TPV-025	5/16"	10.5mm	15.0mm	
TPV-03	3/8"	12.3mm	17.2mm	
TPV-04	1/2"	15.8mm	20.7mm	
TPV-06	3/4"	20.7mm	26.1mm	
TPV-10	1"	26.0mm	32.2mm	
TPV-12	1-1/4"	34.7mm	41.5mm	30M
TPV-15	1-1/2"	40.0mm	47.2mm	25M
TPV-20	2"	51.3mm	58.7mm	20M
TPV-25	2-1/2"	63.0mm	72.4mm	10M
TPV-30	3"	78.0mm	87.9mm	
TPV-40	4"	101.6mm	112.3mm	

材質:鍍鋅鐵皮與PVC合成。

用途:電線之包覆,有防水,防火,防塵等作用。



棉紗金屬軟管

型 號 Item NO.	軟管規格	最小內徑	螺紋外徑	軟管長度
		A	B	
TFV-03	3/8"	12.3mm	18.0mm	50M
TFV-04	1/2"	15.8mm	21.3mm	
TFV-06	3/4"	20.7mm	26.7mm	
TFV-10	1"	26.0mm	33.4mm	30M
TFV-12	1-1/4"	34.7mm	42.2mm	20M
TFV-15	1-1/2"	40.0mm	48.3mm	
TFV-20	2"	51.3mm	60.3mm	15M
TFV-25	2-1/2"	63.0mm	73.0mm	10M
TFV-30	3"	78.0mm	88.9mm	
TFV-40	4"	101.6mm	114mm	5M

材質:內層鍍鋅鐵皮,外層PVC與棉紗合成。
用途:電線之包覆,有防水、防火、防塵等作用。



防爆金屬軟管

型 號 Item NO.	軟管規格	最小內徑	最大內徑	軟管長度
		A	B	
TMV-03	3/8"	12.3mm	18.2mm	30M
TMV-04	1/2"	15.8mm	21.9mm	
TMV-06	3/4"	20.7mm	21.3mm	
TMV-10	1"	26.0mm	33.4mm	
TMV-12	1-1/4"	34.7mm	42.4mm	20M
TMV-15	1-1/2"	40.0mm	48.6mm	
TMV-20	2"	51.3mm	60.1mm	15M
TMV-25	2-1/2"	63.0mm	74.2mm	10M
TMV-30	3"	78.0mm	89.7mm	
TMV-40	4"	101.6mm	114.1mm	5M


材質:鍍鋅鐵皮與鋼絲合成,外層包覆鋼絲。
用途:電線之包覆,防火、防塵等作用。



(配件)防水盒接頭及內牙盒接頭

型 號 Item NO.	適用 軟管	防水盒接(mm)			內牙盒接		適用大徑 最口
		螺紋 外徑	螺紋 長度	機板 口徑	螺紋 內徑	螺紋 長度	
		A	B		A	B	
TMR-03	3/8"	20.9	10.8	20.9~21.4	19.2	12.4	19.0
TMR-04	1/2"	20.9	11.2	20.9~21.4	19.2	12.4	23.3
TMR-06	3/4"	26.4	12.5	26.4~26.9	24.2	14.0	27.8
TMR-10	1"	33.2	14.0	33.2~33.7	30.5	15.8	34.5
TMR-12	1-1/4"	41.9	15.8	41.9~42.4	39.5	17.0	43.5
TMR-15	1-1/2"	47.8	17.5	47.8~48.3	45.0	19.0	49.2
TMR-20	2"	59.6	19.5	59.6~60.1	57.0	21.5	61.5
TMR-25	2-1/2"	75.1	21.3	75.1~75.6	73.0	23.5	74.7
TMR-30	3"	87.8	23.6	87.8~88.3	85.2	27.6	90.0
TMR-40	4"	113.0	28.8	113~115.5	110.0	36.0	116.0

用途:用於防水金屬軟管與接線盒或箱體之連接
內牙盒接頭用途:用於防水金屬軟管與接線盒或箱體之連接。



(配件)防水 EMT 與 PVC 管接

型 號 Item NO.	適用軟管	接合內徑 A		接合長度 B	
		EMT	PVC	EMT	PVC
TME-03	3/8"	19.6	----	12.4	----
TME-04	1/2"	19.6	22.3	12.4	12.4
TME-06	3/4"	26.2	27.5	14.0	14.0
TME-10	1"	32.4	34.5	15.8	15.8
TME-12	1-1/4"	38.8	42.7	17	
TME-15	1-1/2"	51.9	48.7	19	
TME-20	2"	64.2	60.7	21.5	
TME-25	2-1/2"	77.0		23.5	
TME-30	3"	88.2		27.6	
TME-40	4"	113.8		36.0	

用途:用於防水管金屬管 EMT 薄鐵管之連接。
用途:用於防水管金屬管 PVC 塑膠管之連接。



(配件)45°及 90°防水彎接頭

型 號 Item NO.	適用軟管	螺紋內徑	螺紋外徑	包裝 Packing
		A	B	
TML-03	3/8"	21.0mm	27.0mm	50Pcs
TML-04	1/2"	21.0mm	34.9mm	
TML-06	3/4"	21.0mm	42.1mm	
TML-10	1"	33.0mm	47.6mm	
TML-12	1-1/4"	42.0mm	57.9mm	
TML-15	1-1/2"	48.0mm	62.5mm	25Pcs
TML-20	2"	60.0mm	76.5mm	
TML-25	2-1/2"	75.0mm	92.2mm	10Pcs
TML-30	3"	88.0mm	114.3mm	
TML-40	4"	102mm	139.7mm	

用途:用於電線轉彎時固定用。



(配件)金屬快速接頭

型 號 Item NO.	適用軟管	螺鐵板孔徑	包裝 Packing
TN-03	3/8"	20.7mm	100Pcs
TN-04	1/2"	20.7mm	
TN-06	3/4"	26.3mm	
TN-10	1"	33.0mm	

材質:鑄鋅一體成型。

用途:防水管.金屬管連接控制盒或箱體用



(配件)金屬軟管固定座

型 號 Item NO.	適用軟管	內 徑	外 徑	高 度
		W1	W2	H
TU-03	3/8"	16.7	18.3	19.5
TU-04	1/2"	19.6	21.7	21.2
TU-06	3/4"	26.3	27.8	26.8
TU-10	1"	31.7	32.5	33.2

用途:用於金屬軟管固定用。



(配件)金屬牙圈

(配件)不銹鋼牙圈

型號 Item NO.	適用軟管	內徑 mm	外徑 mm	包裝 Packing
TFC-03	3/8"	11.0	19.5	200Pcs
TFC-04	1/2"	14.5	23.5	
TFC-06	3/4"	19.5	29.5	
TFC-10	1"	25.0	35.1	100Pcs
TFC-12	1-1/4"	33.5	43.7	
TFC-15	1-1/2"	38.0	50.0	
TFC-20	2"	49.5	62.5	50Pcs
TFC-25	2-1/2"	59.4	75.5	20Pcs
TFC-30	3"	75.5	91.0	
TFC-40	4"	98.4	117.0	

用途:保護電線防止刮傷。

型號 Item NO.	適用軟管	螺紋內徑 A	螺紋外徑 B	包裝 Packing
SFC-03	3/8"	21.0mm	27.0mm	50Pcs
SFC-04	1/2"	21.0mm	34.9mm	
SFC-06	3/4"	21.0mm	42.1mm	
SFC-10	1"	33.0mm	47.6mm	
SFC-12	1-1/4"	42.0mm	57.9mm	
SFC-15	1-1/2"	48.0mm	62.5mm	25Pcs
SFC-20	2"	60.0mm	76.5mm	
SFC-25	2-1/2"	75.0mm	92.2mm	10Pcs
SFC-30	3"	88.0mm	114.3mm	
SFC-40	4"	102mm	139.7mm	

用途:保護電線防止刮傷。



(配件)EMT 盒接頭

型 號 Item NO.	適用軟管	螺紋內徑	螺紋外徑
		A	B
ET-19	1/2"	19.6	22.5
ET-25	3/4"	25.8	29.2
ET-31	1"	32.2	35.8
ET-39	1-1/4"	38.4	42.4
ET-51	1-1/2"	51.4	55.1
ET-63	2"	63.8	69.2
ET-75	2-1/2"	76.5	83.2

用途: EMT 薄鋼管接連控制盒用



(配件)EMT 管接頭

型 號 Item NO.	適用軟管	內徑	外徑
		mm	mm
HT-19	1/2"	19.6	22.5
HT-25	3/4"	25.8	29.2
HT-31	1"	32.2	35.8
HT-39	1-1/4"	38.4	42.4
HT-51	1-1/2"	51.4	55.1
HT-63	2"	63.8	69.2
HT-75	2-1/2"	76.5	83.2

用途: EMT 薄鋼管接連 EMT 薄鋼管 (延長用)。



(配件)EMT 管大月灣

型 號 Item NO.	適用軟管	內徑	外徑
		mm	mm
TL-19	1/2"	19.6	22.5
TL-25	3/4"	25.8	29.2
TL-31	1"	32.2	35.8
TL-39	1-1/4"	38.4	42.4
TL-51	1-1/2"	51.4	55.1
TL-63	2"	63.8	69.2
TL-75	2-1/2"	76.5	83.2

用途: EMT 薄鋼管接連 EMT 薄鋼管 (轉彎用)。