

TA YU

Electric Vehicle Cable

新能源汽車高壓電纜

Silicone Rubber & XLPE



TAYUKABEL®

グリーンエネルギー

AWM STYLE 3644 150°C 1000V/AC (1500V/DC)

AWM STYLE 3858 150°C 3000V/AC (4500V/DC)

AWM STYLE 4476 150°C 1000V/AC (1500V/DC)

ELECTRIC VEHICLE CABLE

電動車專用 1KV高壓矽膠多芯電纜

AWM 4476 1000V/AC CABLE

Insulation : Silicone Rubber

Sheath : Silicone Rubber

Conductor : Tinned Copper

MADE IN TAIWAN

TAYUKABEL®



ELECTRIC VEHICLE DESIGNATED CABLE

【電動車 DC-DC PDU】 【驅動電機MCU】 【電池充電座】 高壓電纜

AWM 3858 3KV/AC HIGH VOLTAGE WIRE

Conductor : Tinned Copper

Insulation / Sheath : Silicone Rubber

MADE IN TAIWAN

TAYUKABEL®



ELECTRIC VEHICLE DESIGNATED CABLE

電動車BMS系統 / PDU高壓配電盒 專用電纜

AWM 3858 3000V 150°C / 200°C



【通過UL認證 AWM3858 VERIFIED】

【額定電壓 Rated Voltage : 3000V/AC】

【電纜耐溫 Rated Temperature: 150 / 200°C】

【柔軟性佳 Flexible and Easy bending】

MADE IN TAIWAN

TAYUKABEL®