


Product Name: Insulator


Product Type: BH

Features:


- It effectively insulate the interference of metal surface and improve reading range.
- It facilitates the installation of exposed wire.
- It is applicable to all Jantek readers.
- Material: acrylic (Except BH-30 is made of foam sheet.)

BH-520	BH-80	BH-35	BH-30	BH-500
				
143x104x10mm Applicable model PR-520C	147x119x10mm Applicable model PR-80C、PR-85C	123x93x10mm Applicable model PR-35C、PR-65C	130x86x10mm Applicable model PR-200、PR-200K PR-30C、PR-60C	143x142x10mm Applicable model FP-500

Schematic diagram



Assembled diagram



Specifications:

Ordering Information:

Order information and dimension

- BH-520 (143 * 104 * 10 mm) applicable to PR-520C
- BH-80 (147 * 119 * 10 mm) applicable to PR-80C, PR-85C
- BH-35 (123 * 93 * 10 mm) applicable to PR-35C, PR-65C
- BH-500 (143 * 142 * 10 mm) applicable to FP-500
- BH-75 applicable to PR-75C

Reference models:

Taiwan Jantek Electronics., Ltd.

www.jantek.com.tw

Add:6F-1, No. 1, Wuquan 1St.Rd.,Xinzhuang District, TEL : 886-2-22991255

New Taipei City 24892,Taiwan, R.O.C.

FAX : 02-2299-1257 / 02-2299-7412

Email : service@jantek.com.tw